

FIG. 1 (PRIOR ART)




FIG. 2 (PRIOR ART)




FIG. 3 (PRIOR ART)




FIG. 4 (PRIOR ART)

+

junit.extensions.TestDecorator.basicRun(TestDecorator.java:22) C(tests2.T1) bunit.framework.AssertionFailedError: Error introduced T1) Hunit.framework.AssertionFailedError: Error introduced junit.extensions.TestDecorator.basicRun(TestDecorator.java:22) junit.extensions.TestDecorator.run(TestDecorator.java:28) junit.extensions.TestDecorator.run(TestDecorator.java:28) junit.extensions.RepeatedTest.run(RepeatedTest.java:25) junit.extensions.RepeatedTest.run(RepeatedTest.java:25) a specific context of the test B [tests2.T1.B|T1.java:59) apecific context of the test C tests2.TS.main(TS.java:52) tests2.TS.main(TS.java:52) tests2.T1.C(T1.java:70) -502failures: B(tests2. There were 2 lme: 504 \widehat{S}

Tests run: 29, Failures: 2, Errors: 0

FIG. 5 (PRIOR ART)

+

|

		 600
JUNIT		1
JUNIT		
TEST CLASS NAME:		
Test2.TS ▼ .	RUN	į
☑RELOAD CLASSES EVERY RUN	· · · · · · · · · · · · · · · · · · ·	
RUNS: ERRORS: FAILURES: 29/29 0		
FAILURES TEST HIERARCHY Junit.framework.AssertionFailedError: Error introduced at a speci at tests2.T1.B(T1.java:60) at junit.extensions. TestDecorator.run(TestDecorator.java:28) at junit.extensions.RepeatedTest.run(RepeatedTest.java:25)	RUN	
V P		
Finished: 0.32 seconds	EXIT	

FIG. 6 (PRIOR ART)